Hyundai Ioniq Ev Car Acquisition Analysis to Support Vehicle Forensics Activities

Zulhair Jidan Dj. Guest^{1*}, Yudi Prayudi²

Universitas Islam Indonesia, Indonesia Email: <u>22917037@students.uii.ac.id¹*</u>, <u>prayudi@uii.ac.id²</u>

*Correspondence

ABSTRACT

Keywords: hyundai ioniq EV, electric car, old port, vehicle forensics.

An electric car is a motor vehicle that uses an electric motor as the main drive, which is run by a rechargeable battery. Electric cars have several advantages compared to conventional motor vehicles that use internal combustion engines, such as lower emissions, cheaper operating costs, and better performance. This study aims to identify vehicle forensics acquisition techniques in electric cars using OBD ports, by studying vehicle data usage activities. The acquisition focuses on the Hyundai Ioniq EV electric car, the use of the OBD port method in data capture, and focuses on logical acquisition. This evidence can include a history of the location, and connected devices, including sudden braking events, gear shifts, wheel speeds, and vehicle acceleration. The results of this study show that the OBD port can be a source of information in vehicle forensics, and data collection. There were 20 pieces of digital evidence found such as ecus data, telematics data, sudden braking systems, wheel speeds, and vehicle acceleration.



Introduction

The rapidly changing development of computer technology in the last decade has also had an impact on the technology applied to the automotive industry. The development of automotive technology is now increasingly evolving, namely with the existence of electric cars, where the car can store data, and record data about the activity of the vehicle. One of the potentials is to become evidence when an accident occurs. Compared to oil-fueled engines, electric cars produce a lot of torque when running from the moment the car stops, so the acceleration and power of electric cars exceed those of internal combustion engine cars (Firdaus et al., 2023). Electric cars can function as electronic evidence, primary keys (storing data), and potential evidence. Electronic evidence, in the context of vehicle forensics, refers to digital evidence that can be extracted from various electronic systems in the vehicle. The primary key in this context refers to storage in electric cars. A framework will provide a general reference of the investigation process that can be applied to a variety of different cases. In principle, although there are many stages proposed in the digital forensics framework, if you refer to the document from ISO27037 - Information Security Incident Management and ISO27037 - Identification, Collection, Acquisition, and Preservation of Digital Evidence (Didik et al., 2019).

The entire collection of electronic evidence found in electric cars has the potential to become potential evidence in the investigation. This includes data from navigation systems, speed recordings, safety sensors, or vehicle activity logs. This data can be used to identify fraud, check vehicle identities, detect speedometer manipulation, and investigate the activities of vehicles and their passengers (Strandberg et al., 2022). In most cases, logical access to the vehicle system is easier to obtain than physical access which may require disassembly of components.

Logical access can often be achieved through standard interfaces, such as OBD-II (On-Board Diagnostics) on modern vehicles. Generic On-Board Diagnostic (OBD) devices to troubleshoot vehicles that comply with OBD standards. The device displays a real-time vehicle status system and diagnostic trouble codes (DTCs) for different types of vehicles (Niazi et al., 2013). Among them is reading data from the vehicle, such as speed, engine speed, engine temperature, and other information related to vehicle performance. This data can be used as evidence in criminal investigations.

The issue of vehicles with digital evidence is studied by [5] by conducting vehicle system forensics and offering case studies on the acquisition of forensic and entertainment system data analysis on Volkswagen cars. With the increasing digitization of modern vehicles, this study highlights the need for a comprehensive forensic approach to vehicle data, as well as the challenges associated with it. The acquisition method used is by doing a chip-off or physical on the car dashboard. The results of this study include findings related to the types of forensic artifacts that can be found in vehicle entertainment systems, as well as the forensic challenges vehicle systems face.

Meanwhile (Stathers et al., 2022) has done digital evidence capture of modern vehicles and how it can be done in a cost-effective method. Modern vehicles have several computerized components that can be used as proof, such as entertainment systems, airbags, E-calls, and factory assistance, among others. OBD (On-board Diagnostics) software helps investigators read the status of the vehicle's engine and extract digital data from the vehicle. The purpose of this study is to read data from vehicles, such as speed, engine speed, engine temperature, and other information related to vehicle performance using the OBD port.

In the study, there is an acquisition technique point of view on Hyundai Ioniq EV cars by identifying the vehicle system to access the vehicle diagnostic system with the logical acquisition. Digital evidence collection applies the OBD (On Board-Diagnostic) method for vehicle acquisition by identifying the investigation framework that is the reference. The hope is to obtain and explore digital evidence of electronic systems in modern vehicles, especially electric-powered vehicles so that digital evidence can be used as evidence in a case study.

Based on previous research, this study shows that acquisition using logical acquisition through the OBD port on electric cars, such as the Hyundai Ioniq EV, offers a more efficient, practical, and minimally risky method compared to physical acquisition. Logical acquisition enables the collection of relevant and specific data for forensic analysis without the need for physical dismantling of the vehicle, making a significant

contribution to modern vehicle forensics methodologies and expanding forensic applications in electric vehicles. The goal is to obtain and explore digital evidence of electronic systems in modern vehicles, especially electric-powered vehicles so that digital evidence can be used as evidence.

Method

Literature Studies

The literature study stage is carried out to obtain secondary data about the vehicle that is the object of inspection and to recognize the system architecture of the vehicle. Furthermore, the identification of needs is carried out to determine a work environment that suits the research objectives, including the selection of the car to be investigated and the type of hardware required.

Identification of Acquisition Framework

The next stage is the identification of the acquisition framework In principle, although there are many stages proposed in the digital forensic framework, if you refer to documents from the NIJ, there are 5 standard procedures for carrying out digital forensic activities, namely: (1) Policy and Procedure Development (2) Evidence Assessment, (3) Evidence Acquisition, (4) Evidence Examination, (5) Documenting and Reporting. Within the scope of Malaysian legal jurisdiction, one of the references that can be used as a standard is the document from the Standard Operating Procedure of Digital Evidence Collection. In addition, the community of practitioners who are members of SWGDE also created a document on Best-Practices-for-Vehicle-Infotainment-and-Telematics-Systems. In addition, there is also a reference from the Essex Police Department regarding the Procedure of Vehicle Examination and Retention (Sibe & Kaunert, 2024); (Kamal, 2019).

Based on the references obtained, the standard identification carried out can be used as a reference in the creation of a vehicle forensic framework that will be used in the acquisition process. In this case, there are 3 standards that can be used, namely Automotive Process Forensics, NIJ, and Standard Operating Procedure of Digital Evidence Collection. This study focuses on the acquisition phase (Saufi et al., 2019).

Equipment Preparation

At this stage, the equipment prepared is in the form of an OBD-I port for a connection from the car to the device analysis then an analysis device in the form of a Samsung S7 Tablet for acquisition. In conducting research, the process of obtaining data was obtained using the live forensics method with logical acquisition, where data was obtained by acquiring data from an active car, and then data acquisition from the OBD port using OBD-II with Global Diagnostic Software tools.

Artifact Characteristic Analysis

Analysis of the characteristics of the artifacts is carried out to understand the data that has been acquired and evaluate the information obtained from the electric car. Thus, through these systematic methodological steps, this research is expected to contribute to the proof of digital evidence at the trial as well as become a reference for further research in the field of electric car acquisition techniques (Lacroix et al., 2016).

After the process of analyzing the characteristics of the artifacts, this research will continue with the preparation of a final report on the examination process. The data acquisition stage is also the main focus, where the research will pay close attention to the electric car acquisition process. The initial step will involve the preparation of the necessary interfaces and tools to acquire the data, followed by connectivity and compatibility testing to ensure the successful connection between the acquisition device and the electric car that is the object of the inspection.

Data Acquisition

The research focuses on the acquisition stage of electric cars, the initial step involves preparing interfaces and tools to be used to acquire data. After that, connectivity and compatibility tests are carried out to ensure the success of the connection between the acquisition device and the electric car that is the object of inspection. Furthermore, determining the logical acquisition choice becomes crucial, taking into account the type of data that needs to be acquired and focusing on the primary source of digital evidence such as battery management systems. The data taken is like a recording of data such as speed, mileage, and other instruments. The following are the acquisition steps on a forensic vehicle or forensic vehicle, as shown in Figure 1.



Figure 1
Forensic Vehicle Acquisition Steps

Results and Discussion

At this stage, the determination of the car to be investigated is carried out, the type of vehicle to be used is the Hyundai Ioniq 1. Then Hardware, Samsung Tab S7, OBD-II, and Hyundai GDS software (Tools):

Hyundai Ioniq Ev Car

Table 1 **Identification of Car Analysis Needs**





Vehicle Brand	Hyundai Ioniq EV 1 (2021)
Mileage	373 km (based on NEDC) and 311 km (based on WLTP)
Car Size and Length	Length 4,470 mm x Width 1,820 mm x height 1,475 mm. The wheelbase is 2,700 mm and the distance between the grounds is 150 mm.
Battery	100 kW (136 PS) supplied by 38.3 kWh lithium- ion battery

Samsung Tab S7

Table 2 **Analysis Device Needs Identification**



CPU Speed Procesor

3.09GHz, 2.4GHz, 1.8GHz

Octa-Core Display 11.0"

(278.1mm),

	2560 x
	1600 (WQXGA)
S Pen Support	Yes
Storage	128/6 GB
Network	4G LTE
OS	Android
Battery	8000 stomach

Samsung Tab S7



Figure 2 OBD-II

GDS (Global Diagnostic Software)

Table 3
Tools Used



Functionality	Tools	for
	diagnos	sis
	acquisi	tion
	on Hy	undai
	vehicle	s.

Figure 3
GDS (Global Diagnostic Software)

At this stage, the equipment prepared is in the form of an OBD-II port for a connection from the car to the analysis device, then the analysis device in the form of a

Samsung S7 Tablet for acquisition. In conducting research, the process of obtaining data was obtained using the live forensics method with logical acquisition, where data was done by acquiring data from an active car, and then data acquisition from the OBD port using OBD-II tools was carried out.

Data Acquisition

At this stage, data is obtained from the results of acquisitions in cars that are still active. The car acquisition process is in a lit condition, which is suspected of storing digital evidence, then prepare procedures to carry out the data acquisition stages (Katarína et al., 2021).

After finding the OBD port, the OBD adapter is plugged into the car. When the software recognizes the vehicle, it will display a message on the analysis device indicating that the OBD device has been connected to the car, and once you click OK, the software will automatically configure. Then open Hyundai's GDS (Global Diagnostic Software) software to start acquiring data from the car. The process of picking up involves technicians from Hyundai to acquire the car to comply with the SOP. The results of the acquisition of data from the Hyundai Ioniq EV car revealed the existence of 19 pieces of digital evidence relevant for forensic analysis, covering various parameters such as ECU Data and Telematics Data. Among them, Airbag, PGS, CCM, BMS, VIN, ESPAHB, IBU-TPMS, MCU, OBC, VCULDC, E-SHIFTER, EPB, EPS, BSD-LR, ADM, DDM, PSM, IBU-BCM.

Data Acquisition Analytics

This analysis process uses Global Diagnostic Software to conduct the analysis. This aims to find out the extent to which the software can perform analysis. On the computer analyst side, the data from the car is only on the view or screenshot side of the tool.



Fig 4 VIN Hyundai Ioniq Ev

Based on Figure 4.5, the results of vehicle identification were carried out on the car. The VIN number is used to identify the vehicle specifically. Each vehicle has a unique VIN number that consists of a series of letters and numbers. Car vehicle type, Hyundai Ioniq electric (AE EV). Then the vehicle model, the sedan. The year of vehicle manufacture is 2022. Vehicle brand, Hyundai Ioniq.

Table 4 Validation of HSSIL Acquisition and Data Analysis

Data	Variable	Fea	Description
Categories	, 4114010	ture	Description
Vehicle	VIN	\/	KMHC881J
identification	VIIV	V	U NU086429
- Identification	Vehicle type	√	Ioniq Ev
	Vehicle		Sedan
	Model	V	Scam
	Year of	/	2022
	manufacture	•	
	Vehicle	√	Hyundai
	Brand		Ioniq 1 Ev
Location	GPS	X	Features not
Data	Coordinates		yet available
	HistoryTrave	X	Features not
	1		yet available
Data Sensor	Data Sensor	\checkmark	Good
			condition
	Navigation	X	
	System		
	Crash Sensor	\checkmark	Good
			condition
	Telematics	\checkmark	Good
	Data		condition
Data Ecu	Data Ecu	\checkmark	Good
	- · · · ·		condition
Forensic	Repair Notes	X	No repair
_Data	** *		notes yet
	Usage Log	√	5080 KM
Owner Data		\checkmark	Regional
			Secretariat of
			Gorontalo
			Regency
Data	Photos and	X	It cannot be
Multimedia	Videos		accessed
			through GDS
			(Global
			Diagnostic
			System).

After analyzing the Hyundai Ioniq EV car from the seven categories of data applied, three features are not yet available, and one feature cannot be accessed on the car. Because this car is the first Hyundai series. In a car without a navigation system, location history data cannot be obtained directly from the vehicle system, which reduces the ability to track vehicle movements in detail. Instead, the focus of the acquisition shifted to other parameters such as sudden braking events, gear shifts, wheel speeds, and vehicle acceleration that remained accessible via the OBD port. Previous research involving

vehicles with navigation systems allowed for a more comprehensive collection of location data and provided a better geographical context for forensic analysis.

Characteristic Analysis of Digital Artifacts

Characterization analysis of digital artifacts involves an in-depth evaluation of data obtained from vehicles to identify patterns, trends, and other important information that can support forensic investigations.

Table 5
Characteristic Analysis of Digital Artifacts

Car Digital	Information
Artifacts	
Digital Indicator	Data is stored in a
System	digital format, such as a
	text file, CSV, or JSON.
	The data contains
	information about the
	vehicle's status, such as
	speed, battery
	temperature, and energy
	consumption. Then the
	data can be analyzed
	using various tools and
	software.
Telematics Data	Telematics data in real-
	time, including
	information such as
	location, speed, vehicle
	status, and driver
	behavior. However, this
	car does not yet have a
	navigation system
	feature. Telematics data
	has a variety of formats
	and structures,
	depending on the type of
	device and system used,
	in this study the tools
	used are GDS (Global
	Diagnostic Software).
	Then telematics data can
	be interconnected and
	connected with various
	other data sources, such
	as sensor data. For speed
	recordings telematics
	data is generated in real-
	time, allowing for real-
	time monitoring and
	analysis of data.
	anarysis or data.

Navigation System The navigation system is not available in standard features on the Hyundai Ioniq 1 variant, so drivers may need to rely on maps or third-party apps for navigation while driving. Audio System The navigation system is not available in standard features on the Hyundai Ioniq 1 variant, so drivers may need to rely on maps or third-party apps for navigation while driving. Audio System Audio data is stored in
features on the Hyundai Ioniq 1 variant, so drivers may need to rely on maps or third-party apps for navigation while driving.
Ioniq 1 variant, so drivers may need to rely on maps or third-party apps for navigation while driving.
drivers may need to rely on maps or third-party apps for navigation while driving.
on maps or third-party apps for navigation while driving.
apps for navigation while driving.
while driving.
•
Audio System Audio data is stored in
digital formats, such as
MP3, WAV, or FLAC.
Audio data is structured
in a file, which contains
information about songs,
artists, albums, and
genres. Audio data
contains information
about the sounds
produced by the audio
system, such as music,
and phone calls.
Electronic Control ECU data is made up of
Unit (ECU) various parameters and
signals that are
interrelated, providing
detailed information
about various aspects of
the vehicle's operation.
ECU data is generated
in large quantities in
real-time, allowing for
real-time monitoring
and analysis of the data.
ECU data can contain
sensitive information
about the vehicle and its
users, requiring strong
safety protection. ECU
data has high value for a
variety of applications,
¥ 11
such as diagnostics and
troubleshooting, vehicle
technology
development, and
automotive forensics.

Analysis of the characteristics of digital artifacts found on the Hyundai Ioniq 1 car, acquired through the OBD port using the logical acquisition method. The digital artifacts found include digital indicator systems, telematics data, navigation systems, audio systems, and ECU data, providing in-depth insight into vehicle usage behavior for

forensic purposes (Whelan et al., 2018). Compared to previous studies by those who used physical acquisition methods to collect data from car infotainment and navigation systems, this study offers a more efficient and less risky approach, the process takes longer and risks damaging vehicle components. Another research uses the logical acquisition method in electric vehicles, This study uses a qualitative approach by analyzing data from available sources, such as VIN (Vehicle Identification Number), ECU (Electronic Control Unit) data, and data from the OBD (On-Board Diagnostics) diagnostic interface. These findings confirm that logical acquisition is an effective alternative in collecting digital artifacts from modern electric vehicles, helping to speed up the forensic investigation process without compromising the quality and completeness of the data obtained as well as the ability to collect comprehensive data without the need for physical dismantling of the vehicle (Jacobs et al., 2017).

Digital Evidence Classification


Based on the results of the analysis after the digital evidence is obtained, a classification is made to match the digital evidence relevant to the incident of the case that occurred. This matching helps in determining relevant data sources to support the investigation of a particular case in the context of vehicle forensics.

Table 6 Classification of Digital Evidence

Data	Variable	Case
Categories		
Crash Sensor	Airbags	Traffic Accidents
		There was a traffic
		accident involving a
		Hyundai Ioniq 1
		vehicle. Data from
		accident sensors can
		assist investigators
		in reconstructing the
		accident,
		determining the
		speed and direction
		of the vehicle when
		the accident
		occurred, and
		understanding the
		impact and
		seriousness of the
		accident.
Telematics	Assoc.	Single Accident
Data	Prof.	
	Ccm	

	Airbags	_ A Hyundai Ioniq 1
	Bms	car was reportedly
	Vin	involved in a single
	Espahb	accident. Using
	Mother-	telematics data,
	Tpms	investigators can
		examine vehicle
		status such as speed,
		brakes, and steering
		position before a
		collision to
		determine the
		causes and factors
		that may have
		contributed to the
		crash.
Data Ecu	Mcu	Engine Breakdown
	OBC	A Hyundai Ioniq 1
	Vculdc	vehicle reportedly
	E-Shifter	suffered a sudden
	Epb	engine failure while
	Eps	in use. By analyzing
	BSD-LR	data from the ECU,
	Adm	investigators can
	DDM	explore engine
	Psm	parameters such as
	Mother-	temperature, oil
	Bcm	pressure, and engine
		rotation before an
		event occurs. This
		information can
		help determine the
		possible causes of
		engine failure and
		gain additional
		insight into the
		overall condition of
		the vehicle.
Entertainment	Digital	A car on fire in a
System	Indicator	parking lot or
	System	similar
		A Hyundai Ioniq 1
		car was found on
		fire in the parking

		the entertainment
		system's usage
		history,
		investigators can
		find out if there was
		any suspicious or
		abnormal activity
		before the fire
		occurred, such as
		excessive music
		playback or using
		potential audio
		system features.
Data Audio	Audio	Kidnapping Cases
	System	A vehicle was
		involved in a
		kidnapping case
		where the victim
		reported a
		suspicious
		conversation inside
		the vehicle. By
		analyzing the audio
		playback history of
		the entertainment
		system,
		investigators can
		look for audio
		evidence that
		supports the victim's
		claims and identify
		the perpetrator or
		other important
		information.
Navigation	Gps	Vehicle Theft
Data		A vehicle was
		reportedly stolen
		from a parking lot.
		Using travel history
		data from the GPS
		navigation system,
		investigators can
		track the vehicle's
		travel route to
		determine its final



Based on the results of the classification of digital evidence, from the digital classification of forensic vehicles and the matching of cases with digital evidence on the Hyundai Ioniq 1 car in Table 4.4, it can be concluded that various sources of digital data can be used in vehicle forensic investigations. Each type of data has its usefulness and relevance depending on the case being investigated. For example, the trip history of a GPS navigation system can help determine the location and travel route of a vehicle, while accident sensor data can provide insights into the occurrence of an accident and its impact. In addition, information from audio systems, telematics data, and entertainment systems can also be valuable digital evidence in understanding the activities of vehicles and their passengers.

Compared to previous studies of using physical acquisition, the collection of users' personal data, travel history, and classification of digital evidence in great detail. However, it requires dismantling vehicle components, risks damaging internal systems, and the process takes longer. Another study examined digital evidence classification methods that can be used in traffic accident cases. This study found that the classification method based on the type of data and its relevance to the case proved to be effective. The findings of this study have an important position in the innovation of digital evidence classification. This study shows that classification methods based on data types and their relevance to cases can be used effectively in various types of cases, including the case of the Hyundai Ioniq 1 car.

Conclusion

The acquisition technique of electric cars for vehicle forensics needs, especially in the Hyundai Ioniq EV electric car, using a logical acquisition approach through the OBD port, has succeeded in making a significant contribution to the field of vehicle forensics, 20 pieces of digital evidence have been successfully acquired. Through the identification of the acquisition framework used, researchers can access and analyze the vehicle's digital data, including location history, connected devices, sensor data, telematics data, and ECU data for forensic investigations, but the location history on these cars is not yet available. The digital evidence obtained in this study can only be viewed so that the data from the car cannot be extracted in PDF or other forms. The sensor data contained in this car is still in good condition. Because this car is only used on two events, namely the day of death and the day of the family's wedding. The results of this research are expected to strengthen legal cases, prevent traffic accidents, and create training programs that prepare digital forensics professionals to face challenges related to vehicle data.

Meanwhile, the suggestion in this study is that the GDS (Global Diagnostic Software) software used is not able to read data such as date, time, audio system,

entertainment system, multimedia, voice calls, and video calls, and cannot be extracted. Therefore, it is hoped that for the next research, it will be able to acquire and analyze with other software so that it can display more complete information.

Bibliography

- Didik, S., Yudi, P., & Bambang, S. (2019). Analysis and evaluation digital forensic investigation framework using iso 27037: 2012. *International Journal of Cyber-Security and Digital Forensics (IJCSDF*, 8(2), 1–14.
- Firdaus, H., Sigalingging, B. H. A., Rouzi, W. A., & Sitanggang, R. (2023). Mobile electric rice huller (MERU) for electrifying agriculture in Indonesia. *AIP Conference Proceedings*, 2932(1).
- Jacobs, D., Choo, K.-K. R., Kechadi, M.-T., & Le-Khac, N.-A. (2017). Volkswagen car entertainment system forensics. 2017 IEEE Trustcom/BigDataSE/ICESS, 699–705.
- Kamal, S. N. I. (2019). Digital Forensics Adoption Model for Malaysian Law Enforcement Agencies. *Universiti Teknologi Malaysia, Johor*.
- Katarína, M., Gustáv, K., & Ján, P. (2021). Usage of digital evidence in the technical analysis of traffic collisions. *Transportation Research Procedia*, 55, 1737–1744.
- Lacroix, J., El-Khatib, K., & Akalu, R. (2016). Vehicular digital forensics: What does my vehicle know about me? *Proceedings of the 6th ACM Symposium on Development and Analysis of Intelligent Vehicular Networks and Applications*, 59–66.
- Niazi, M. A. K., Nayyar, A., Raza, A., Awan, A. U., Ali, M. H., Rashid, N., & Iqbal, J. (2013). Development of an On-Board Diagnostic (OBD) kit for troubleshooting of compliant vehicles. 2013 IEEE 9th International Conference on Emerging Technologies (ICET), 1–4.
- Saufi, N. N. C., Razak, N. S. M. A., & Mansor, H. (2019). FoRent: vehicle forensics for car rental system. *Proceedings of the 3rd International Conference on Cryptography, Security and Privacy*, 153–157.
- Sibe, R. T., & Kaunert, C. (2024). Digital Evidence, Digital Forensics, and Digital Forensic Readiness. In *Cybercrime*, *Digital Forensic Readiness*, and *Financial Crime Investigation in Nigeria* (pp. 57–83). Springer.
- Stathers, C., Muhammad, M., Fasanmade, A., Al-Bayatti, A., Morden, J., & Sharif, M. S. (2022). Digital data extraction for vehicles forensic investigation. 2022 International Conference on Innovation and Intelligence for Informatics, Computing, and Technologies (3ICT), 553–558.
- Strandberg, K., Nowdehi, N., & Olovsson, T. (2022). A systematic literature review on automotive digital forensics: Challenges, technical solutions and data collection. *IEEE Transactions on Intelligent Vehicles*, 8(2), 1350–1367.
- Whelan, C. J., Sammons, J., McManus, B., & Fenger, T. W. (2018). Retrieval of infotainment system artifacts from vehicles using iVe. *Journal of Applied Digital Evidence*, *1*(1), 30.